

**Order number:** 23152670
**Open text field 2:** 15,0 Zoll (4:3) Panel-PC, Intel Celeron N6211
**Manufacturer:** Winmate
**Weight:**2.41 kg

# R15IE3S-PTC3

## Price on request

Prices plus VAT plus shipping costs

Delivery time: upon request

### Product information "R15IE3S-PTC3"

Multitouch Panel PC for professional use Industrial Panel PC in sturdy plastic housing Flat PCAP glass front without dirt-collecting edges (IP65 Front) Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

| | |
|---|---|
| **article group specification:** | 2315 |
| **Manufacturer:** | WM |
| **Manufacturer:** | Winmate |
| **series name:** | PT-Serie |
| **Manufacturer item number:** | R15IE3S-PTC3 |
| **mechanics:** | Chassis (VESA-Mounting) |
| **dimensions width:** | 35,25 |
| **dimensions height:** | 27,67 |
| **dimensions depth:** | 4,5 |
| **weight:** | 2,41 |
| **Material housing:** | Kunststoff / plastic |
| **Material Front :** | Kunststoff / plastic |
| **protection front:** | IP65 |
| **colour:** | schwarz / black |
| **controls:** | 2 Keys: Power, Reset |
| **VESA-Mounting Interface:** | VESA 75 x 75 mm, 100 x 100 mm |
| **mounting:** | Tragarm-, Standfuß-, Wandmontage / Suppo |
| **cooling:** | lüfterlos / fanless |
| **Display-diagonal (inch):** | 15,0 |
| **aspect ratio:** | 4:3 |
| **resolution:** | 1024 x 768 |
| **brightness:** | 300 cd/m² |

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

| | |
|---|---|
| **contrast:** | 2000:1 |
| **Display-Technology:** | LCD, LED Backlight |
| **Touch-Screen or glass:** | Projected Capactive / Multi-Touch |
| **Touch Interface:** | USB |
| **Manufacturer controller:** | P-CAP Touchcontroller |
| **voltage input DC:** | 12 V/DC |
| **external power supply:** | 12 V/DC, 100 - 240 V/AC, DC plug |
| **HDMI:** | 1 x HDMI 2.0 (optional) |
| **USB:** | 2 x USB 3.2 Gen1x1 (Type-A) |
| **serial:** | 1 x RS-232 |
| **Audio:** | 2 x Speaker |
| **LAN:** | 2x 2.5 Giga LAN RJ45 |
| **CPU Typ:** | Celeron |
| **CPU Model:** | N6211 |
| **CPU 64bit:** | Ja |
| **CPU speed:** | 1,2 GHz |
| **CPU cores:** | 2 |
| **CPU socket:** | FCBGA1493 |
| **RAM size (MB):** | 8192 |
| **RAM max. size (MB):** | 16384 |
| **RAM Number of benches:** | 1 |
| **RAM Typ:** | SO-DDR4 |
| **RAM speed:** | 3200 |
| **Grafik Controller:** | Intel UHD Graphics for 10th Generation |
| **safety:** | TPM 2.0 |
| **SSD design:** | M.2 |
| **SSD max. number:** | 1 |
| **SSD capacity (GB):** | 128 |
| **Ethernet connections:** | 2 x RJ-45 |
| **Ethernet data transfer:** | 2 x Gigabit-LAN |
| **Ethernet Controller :** | 2 x Intel Ethernet Controller |
| **WLAN :** | Optional / optional |
| **Bluetooth :** | optional / optional |
| **Betriebssystem:** | Optional |
| **operating-system language version:** | deutsch / english / italian |
| **operating temperatur min.:** | 0°C |
| **operating temperatur max.:** | 50°C |
| **warranty:** | 24 Monate / 24 months |

## Related links to "R15IE3S-PTC3"

- Do you have any questions concerning this product?
- Further products by Winmate

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

## Available downloads:

Download Drawing Panel-PC R15IE3S-PTC3 266010.pdf

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de