

**Order number:** 23152095

**Open text field 2:** 15,0 Zoll (4:3) Panel-PC, Intel Celeron N2930

**Manufacturer:** TL Electronic, Bergkirchen-Feldgeding



## R15IB7T-CHC3

### Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

### Product information "R15IB7T-CHC3"

Chassis Panel PC for professional use Industrial Panel PC in sturdy steel sheet housing Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

|                              |                                                                   |
|------------------------------|-------------------------------------------------------------------|
| article group specification: | 2315                                                              |
| Manufacturer:                | WM                                                                |
| Matchcode manufacturer:      | nein                                                              |
| Manufacturer:                | Winmate                                                           |
| series name:                 | WM-Serie                                                          |
| Manufacturer item number:    | R15IB7T-CHC3                                                      |
| mechanics:                   | Chassis (VESA-Mounting)                                           |
| dimensions width:            | 36                                                                |
| dimensions height:           | 29                                                                |
| dimensions depth:            | 7,9                                                               |
| weight:                      | 0                                                                 |
| Material housing:            | Stahlblech / steel sheet                                          |
| Material Front :             | Stahlblech / steel sheet                                          |
| protection front:            | IP54                                                              |
| protection device:           | IP20                                                              |
| colour:                      | RAL 9004 / signal black                                           |
| controls:                    | 2 Keys: Power, Reset                                              |
| VESA-Mounting Interface:     | VESA 75 x 75 mm, 100 x 100 mm                                     |
| mounting:                    | Tragarm-, Standfuß-, Wandmontage / Support arm, stand, wall mount |
| cooling:                     | lüfterlos / fanless                                               |
| Display-diagonal (inch):     | 15                                                                |
| aspect ratio:                | 4:3                                                               |

|                           |                                   |
|---------------------------|-----------------------------------|
| resolution:               | 1024 x 768                        |
| brightness:               | 250 cd/m²                         |
| contrast:                 | 500:1                             |
| Display-Technology:       | LCD, LED Backlight                |
| Touch-Screen or glass:    | Resistive / Glas (optional)       |
| Touch Interface:          | USB oder RS-232                   |
| Manufacturer controller:  | Premier                           |
| voltage input DC:         | 12 V/DC                           |
| external power supply:    | 12 V/DC, 100 - 240 V/AC, 4-pin    |
| input:                    | 43 Watt                           |
| VGA:                      | 1 x 15-pin D-sub                  |
| USB:                      | 1 x USB 3.0, 3 x USB 2.0          |
| serial:                   | 2 x RS-232, 1 x RS232/422/485     |
| Audio:                    | 1 x Line-in (3,5 mm), 2 x Speaker |
| LAN:                      | 2x RJ45 - 10/100/1000 Mbps        |
| PS/2:                     | 2x Mini-DIN                       |
| Mainboard form factor:    | Mini-ITX                          |
| chipset:                  | Intel System on chip              |
| CPU Typ:                  | Celeron Bay Trail-M               |
| CPU Model:                | N2930                             |
| CPU 64bit:                | Ja                                |
| CPU cores:                | 4                                 |
| CPU socket:               | CPU Onboard                       |
| RAM size (MB):            | 4096                              |
| RAM max. size (MB):       | 8192                              |
| RAM Number of benches:    | 1                                 |
| RAM Typ:                  | SO-DDR3                           |
| RAM speed:                | 1600                              |
| Grafik Controller:        | Intel HD Graphics Z3700 series    |
| Audio Controller:         | Realtek ALC886 HD Codec           |
| safety:                   | TPM 1.2                           |
| connections SATA:         | 1                                 |
| CPU class:                | Atom / Celeron                    |
| SSD design:               | 2.5"                              |
| SSD capacity (GB):        | 120                               |
| RAID-System:              | Nein / no                         |
| CD/DVD-Writer :           | Nein / no                         |
| Ethernet connections:     | 2 x RJ-45                         |
| Ethernet data transfer:   | 2 x Gigabit-LAN                   |
| Ethernet Controller :     | Intel I210-AT                     |
| MiniPCle Slot WLAN/WWAN : | 1                                 |
| Betriebssystem:           | Optional                          |

|                            |                          |
|----------------------------|--------------------------|
| operating-system support:  | Windows 7 / 8.1 / 10 IoT |
| operating temperatur min.: | 0°C                      |
| operating temperatur max.: | 50°C                     |
| warranty:                  | 24 Monate / 24 months    |

## Related links to "R15IB7T-CHC3"

- [- Do you have any questions concerning this product?](#)
- [- Further products by TL Electronic, Bergkirchen-Feldgeding](#)

## Available downloads:

- [Download CE Konformitätserklärung DoC Panel-PC WM 15-IB70-x-y-z 20190130](#)
- [Download Drawing Panel-PC WM 15-IB70-CH \(VESA Chassis\) 190228](#)
- [Download CE\\_Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)