



Order number: 15000486

Open text field 2: Embedded Industrie-PC der EmbeddedLine-Serie,
Intel Celeron J1900

Manufacturer: Protech

Weight: 2 kg

SE-8124

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "SE-8124"

Booksize Embedded PC for professional use Industrial computer in sturdy aluminium housing Designed for industrial applications in continuous operation Easy installation with mounting bars or DIN Rail kit Long-term availability

article group specification:	150
Manufacturer:	PT
Matchcode manufacturer:	nein
Manufacturer:	Protech
series name:	EmbeddedLine
Manufacturer item number:	SE-8124
mechanics:	Embedded-PC
dimensions width:	21,7
dimensions height:	4,5
dimensions depth:	14,8
weight:	2,0
Material housing:	Aluminium und Stahlblech / aluminium and steel sheet
Material Front :	Stahlblech / steel sheet
protection front:	IP20
protection device:	IP20
colour:	schwarz / black
controls:	2 Keys: Power, Reset, Status-LEDs
VESA-Mounting Interface:	Nein / no
wall mounting:	Optional / optional
DIN-Rail:	Optional / optional
cooling:	lüfterlos / fanless
chipset:	Intel System on chip

CPU Typ :	Celeron Bay Trail-M
CPU Model :	J1900
CPU 64bit :	Ja
CPU speed:	2000
CPU cores:	4
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ :	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
Ethernet Controller:	Intel I210IT
Audio Controller:	Realtek ALC888S HD Codec
connections SATA:	1
Mini-PCle-slot:	2
HDD design:	2.5"
HDD max. number:	1
HDD connection:	SATA
HDD capacity (GB):	500
MiniPCle Slot SSD :	1
RAID-System :	Nein / no
alternate Caddies:	Nein / no
CD/DVD-Writer :	Nein / no
Display:	1x DVI-D
USB :	1 x USB 2.0
Seriell :	2 x RS-232
SD Card Slot :	Ja / yes
Digitale I/O :	1 x 4in / 4out
controls:	Kontroll-LEDs
Display :	1x DVI-I
USB :	1 x USB 3.0, 1 x USB 2.0
LAN :	2x RJ45 - 10/100/1000 Mbps
Audio :	Line-Out, Line-In, Mic in
serial:	2 x RS232/422/485
controls:	Power On/Off, Reset
voltage input DC:	9-36 V/DC
power adapter:	Optional externes Netzteil 100 - 240 V/AC
WLAN:	Optional / optional
GSM :	Optional / optional
GPS :	Optional / optional
operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C

operating temperatur min.:	45°C
warranty:	24 Monate / 24 months

Related links to "SE-8124"

- [- Do you have any questions concerning this product?](#)
- [- Further products by Protech](#)

Available downloads:

- [Download PT Quick Guide EL1083 v.Q1](#)
- [Download PT User Manual EL1083 v.3.0](#)
- [Download CE Embedded-Industrie-PC EL1083 Gebrauchsanleitung 20190130](#)
- [Download CE Konformitätserklärung DoC IPC EL1083 20190130](#)
- [Download Drawing Embedded-Industrie-PC EL1083\(-EC\) 190228](#)
- [Download Drawing Embedded-Industrie-PC EL1083\(-EC\) + Wall Mount Side Brackets 230517.pdf](#)