



Order number: 23171546
Open text field 2: 17,0 Zoll (4:3) Edelstahl-Panel-PC der ES-Serie (R17IK3S-SPA1)
Manufacturer: TL Electronic
Weight: 16.98 kg

R17IK3S-SPA1

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "R17IK3S-SPA1"

Robust industrial Panel PC made of brushed stainless steel Protection class IP65 all around incl. interfaces Easy to clean and corrosion resistant Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Perfect for food, chemical, pharmaceutical industry, medical technology, process engineering, plant construction etc. Long-term availability

article group specification:	2317
Manufacturer:	WM
Matchcode manufacturer:	ja
Manufacturer:	Winmate
series name:	ES-Serie
Manufacturer item number:	R17IK3S-SPA1
mechanics:	Chassis Edelstahl / stainless steel (VES
dimensions width:	41,2
dimensions height:	34,4
dimensions depth:	6,13
Material housing:	Edelstahl / stainless steel
Material Front :	Edelstahl / stainless steel
protection front:	IP65
protection device:	IP54
colour:	Edelstahl gebürstet / brushed stainless steel
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Support arm, stand, wall mount
cooling:	lüfterlos / fanless
Display-diagonal (inch):	17
aspect ratio:	4:3
resolution:	1280 x 1024

brightness:	350 cd/m ²
contrast:	1000:1
Display-Technology:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
input:	56 Watt
USB:	2 x USB 2.0
serial:	1 x RS-232
LAN:	1x RJ45 - 10/100/1000 Mbps (IP65)
Mainboard form factor:	3,5"
chipset:	Intel System on chip
CPU Typ:	Core i5
CPU Model:	7200U
CPU 64bit:	Ja
CPU speed:	2,5 GHz
CPU cores:	1
CPU socket:	FCBGA1356
RAM size (MB):	4096
RAM max. size (MB):	16384
RAM Number of benches:	1
RAM Typ:	SO-DDR4
RAM speed:	2133
Grafik Controller:	Intel HD Graphics 620
Audio Controller:	Realtek ALC283 HD Codec
CPU class:	Core i3 / i5 / i7
CPU alternative option 1:	Core i3-7xxx
CPU alternative option 2:	Core i5-7xxx
CPU alternative option 3:	Core i7-7xxx
MiniPCIe Slot SSD :	1
SSD design:	M.2
SSD capacity (GB):	64
RAID-System:	Nein / no
CD/DVD-Writer :	Nein / no
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
MiniPCIe Slot WLAN/WWAN :	1
WLAN :	Ja / yes
Bluetooth :	Nein / no
camera:	Nein / no

Barcode Scanner:	Nein / no
RFID Reader :	Nein / no
operating system:	Windows 10 IoT Enterprise
operating-system language version:	deutsch / english / italian
operating-system support:	Windows 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	45°C
warranty:	24 Monate / 24 months

Related links to "R17IK3S-SPA1"

- [- Do you have any questions concerning this product?](#)
- [- Further products by TL Electronic](#)

Available downloads:

- [Download CE Konformitätserklärung DoC Panel-PC WM 17-IK32-x-y-z_201013](#)
- [Download Drawing Cable WM xx-IK32-ES 201007](#)
- [Download Drawing Panel-PC R17IK3S-SPA1 201007](#)
- [Download CE_Panel-PC ES-Serie Gebrauchsanleitung 20190130](#)