

Order number: 23080056

Open text field 2: 8,4 Zoll (4:3) Panel-PC, Intel Celeron N2930

Manufacturer: TL Electronic

Weight: 11.5 kg



R08IB3S-CHU1

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "R08IB3S-CHU1"

Chassis Panel PC for professional use Industrial Panel PC in sturdy steel sheet housing Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

article group specification:	2308
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	SlimLine-Serie
Manufacturer item number:	R08IB3S-CHU1
mechanics:	Chassis (VESA-Mounting)
dimensions width:	23,6
dimensions height:	19
dimensions depth:	6
Material housing:	Stahlblech / steel sheet
Material Front :	Stahlblech / steel sheet
protection front:	IP20
protection device:	IP20
colour:	RAL 9004 / signal black
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	8,4
aspect ratio:	4:3
resolution:	800 x 600

brightness:	600 cd/m²
contrast:	600:1
Display-Technology:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, DC plug
input:	35 Watt
HDMI:	1 x HDMI (Type-A)
USB:	1 x USB 3.0, 1 x USB 2.0
serial:	1 x RS-232, 1 x RS232/422/485
LAN:	2x RJ45 - 10/100/1000 Mbps
Mainboard form factor:	3,5"
chipset:	Intel System on chip
CPU Typ:	Atom
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83 GHz
CPU cores:	4
CPU socket:	FCBGA1170
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1066
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 2.0
connections SATA:	1
CPU class:	Atom / Celeron
SSD design:	mSATA
SSD capacity (GB):	128
RAID-System:	Nein / no
CD/DVD-Writer :	Nein / no
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
WLAN :	Optional / optional
Bluetooth :	Nein / no
camera:	Nein / no
Barcode Scanner:	Nein / no

RFID Reader :	Nein / no
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Related links to "R08IB3S-CHU1"

- [- Do you have any questions concerning this product?](#)
- [- Further products by TL Electronic](#)

Available downloads:

- [Download CE Konformitätserklärung DoC Panel-PC WM 08-IB32-x-y-z 20190130](#)
- [Download Drawing Panel-PC WM 08-IB32-CH \(VESA Chassis\) 190228](#)
- [Download CE Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)