



Order number: 23220865

Open text field 2: 21,5 Zoll (16:9) Edelstahl-Panel-PC der ES-Serie, Intel Celeron N2930

Manufacturer: TL Electronic, Bergkirchen-Feldgeding

WM 22W-IB32-ES-PRU

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "WM 22W-IB32-ES-PRU"

Robust industrial Panel PC made of brushed stainless steel Protection class IP65 all around incl. interfaces Easy to clean and corrosion resistant Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Perfect for food, chemical, pharmaceutical industry, medical technology, process engineering, plant construction etc. Long-term availability

article group specification:	2322
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	ES-Serie
Manufacturer item number:	W22IB3S-65A3
mechanics:	Chassis Edelstahl / stainless steel (VES
dimensions width:	55
dimensions height:	34
dimensions depth:	6,4
Material housing:	Edelstahl / stainless steel
Material Front :	Edelstahl / stainless steel
protection front:	IP65
protection device:	IP65
colour:	Edelstahl gebürstet / brushed stainless
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 200 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	21,5
aspect ratio:	16:9
resolution:	1920 x 1080

brightness:	250 cd/m²
contrast:	1000:1
Display-Technology:	LCD, LED Backlight
Touch-Screen or glass:	Resistive Touch
Touch Interface:	USB
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, IP65
input:	56 Watt
USB:	6 x USB 2.0 (4 x USB internal)
serial:	4 x RS-232 (3x Internal)
LAN:	1x RJ45 - 10/100/1000 Mbps (IP65)
Mainboard form factor:	3,5"
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,8 GHz
CPU cores:	1
CPU socket:	CPU Onboard
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Graphics in CPU
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
CPU class:	Atom / Celeron
SSD design:	Mini PCIe SSD
SSD capacity (GB):	128
RAID-System:	Nein / no
CD/DVD-Writer :	Nein / no
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
WLAN :	Nein / no
Bluetooth :	Nein / no
camera:	Nein / no
Barcode Scanner:	Nein / no
RFID Reader :	Nein / no
Betriebssystem:	Optional

operating-system language version:	deutsch / english / italian
operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	45°C
warranty:	24 Monate / 24 months

Related links to "WM 22W-IB32-ES-PRU"

- [- Do you have any questions concerning this product?](#)
- [- Further products by TL Electronic, Bergkirchen-Feldgeding](#)

Available downloads:

- [Download CE Panel-PC ES-Serie Gebrauchsanleitung 20190130](#)
- [Download Drawing Panel-PC WM 22W-IB32-ES 201007](#)
- [Download CE Konformitätserklärung DoC Panel-PC WM 22W-IB32-ES-x 20190130](#)