



Order number: 15100432

Open text field 2: Wallmount Industrie-PC der EmbeddedLine-Serie,
Intel Core i3-6100TE

Manufacturer: Protech

Weight: 4.9 kg

SE-8400

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "SE-8400"

Booksize Industrial PC for professional use Industrial computer in sturdy aluminium housing 2 x drive bays, RAID option Designed for industrial applications in continuous operation Easy installation with mounting bars Long-term availability

article group specification:	151
Manufacturer:	PT
Matchcode manufacturer:	nein
Manufacturer:	Protech
series name:	EmbeddedLine
Manufacturer item number:	SE-8400
mechanics:	Embedded-PC
dimensions width:	26,0
dimensions height:	8,0
dimensions depth:	20,0
weight:	4,9
Material housing:	Aluminium / aluminium
Material Front :	Aluminium / aluminum
protection front:	IP20
protection device:	IP20
colour:	Gehäuse schwarz / Front blau
controls:	2 Keys: Power, Reset, Status-LEDs
cooling:	lüfterlos / fanless
chipset:	Intel H110
CPU Typ :	Core i3
CPU Model :	6100TE
CPU 64bit :	Ja

CPU speed:	2700
CPU cores:	2
CPU socket:	LGA1151, H4
CPU alternative option 1:	Core i5-6xxx
CPU alternative option 2:	Core i7-6xxx
CPU alternative option 3:	Core i7-7xxx
RAM size (MB):	8192
RAM max. size (MB):	32768
RAM Number of benches:	2
RAM Typ :	SO-DDR4
RAM speed:	2133
PCI Express x4 :	optional
Grafik Controller:	Intel HD Graphics 530
Ethernet Controller:	Intel PHY219-LM + 210-AT
Audio Controller:	Realtek HD Audio
USB internal connections:	4x USB 2.0, 2x USB 3.0
Connections Serial internal:	4x RS-232
Mini-PCIe-slot:	1
Digital I/O :	Optional / optional
SSD design:	2.5"
SSD max. number:	2
SSD capacity (GB):	256
Display:	1x HDMI
USB :	2 x USB 2.0
Seriell :	Optional / optional
SIM Card Slot :	Ja / yes
Cfast Card Slot :	Ja / yes
Parallel Port:	Optional / optional
Display :	1x DVI-I
USB :	4 x USB 3.0
LAN :	2x RJ45 - 10/100/1000 Mbps
Audio :	Line-Out, Line-In, Mic in
serial:	2 x RS-232, 2 x RS232/422/485
controls:	Power On/Off, Reset
voltage input DC:	9-36 V/DC
power adapter:	Optional externes Netzteil 100 - 240 V/A
WLAN:	Optional / optional
operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur min.:	50°C
warranty:	24 Monate / 24 months

Related links to "SE-8400"

- [Do you have any questions concerning this product?](#)
- [Further products by Protech](#)

Available downloads:

- [Download CE Konformitätserklärung DoC IPC EL1092_20190130](#)
- [Download Drawing Embedded-Industrie-PC EL1092_190228](#)
- [Download Gebrauchsanleitung IPC-EL1092-1093_20190130](#)
- [Download PT EL1092 Quick Reference Guide Q1](#)
- [Download PT EL1092 README V1.0](#)
- [Download PT EL1092 User Manual M1_190228](#)
- [Download PT EL1092 User Manual M1](#)