



Order number: 25130017
Open text field 1: -1
Manufacturer: Winmate

M133K

Price on request

Prices plus VAT [plus shipping costs](#)

Ready to ship today,
Delivery time appr. 1-3 workdays

Product information "M133K"

Tablet PC for professional use Ruggedized Tablet in sturdy magnesium alloy housing with all-around elastomeric rubber Protection class IP65 all around incl. Interfaces Shock, vibration and drop protected (MIL-STD-810G) Multi-touch (PCAP) with Glove / Rain / Stylus modes Integrated multi-functional stand Wide range of options and accessories for data capture, communication, docking, mounting, power, peripherals and transportation The ideal partner for warehouse, logistics, automotive, outdoor, smart factory, field service etc. Long-term availability

article group specification:	2513
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	Rugged Industrial Tablet PC
Manufacturer item number:	M133K
mechanics:	Rugged Tablet PC
dimensions width:	33,8
dimensions height:	24
dimensions depth:	3
weight:	2,4
Material housing:	Aluminium - Magnesium
protection device:	IP65
colour:	Schwarz / black
VESA-Mounting Interface:	Optional / optional
cooling:	lüfterlos / fanless
Display-diagonal (inch):	13,3
aspect ratio:	16:9
resolution:	1920 x 1080
brightness:	350 cd/m ²

contrast:	800:1
Display-Technology:	LCD, LED Backlight
Touch-Screen :	Projected Capacitive / Multi-Touch
usability:	Finger/Stift/Handschuh / finger/pen/glov
CPU Typ:	Core i5
CPU Model:	7200U
CPU speed:	2,5 GHz
CPU cores:	2
RAM size (MB):	8192
RAM max. Größe (MB):	16384
RAM Typ:	DDR4
RAM speed:	2400
SSD design:	M.2
SSD capacity:	256
SSD number:	1
SSD number max.:	2
RAID-System:	Optional / optional
safety:	TPM 2.0 und Kensington Lock
WLAN:	Ja / yes
WLAN-Standard:	IEEE 802.11 a/b/g/n/ac
Bluetooth:	Ja / yes
WWAN:	Optional / optional
Ethernet_connections:	1x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Camera front:	Ja / yes
Camera front resolution:	2MP
Camera rear:	Ja / yes
Camera rear resolution:	5MP
Barcode:	Optional / optional
RFID:	Optional / optional
Finger Print:	Nein / no
Video:	1x HDMI
USB:	2x USB 3.0, 2x USB 2.0, 1x USB 3.1
serial:	1x RS-232
LAN:	1x RJ45 - 10/100/1000 Mbps
Card Slot:	1x Micro SD Slot
Audio:	1x Headphone Combo Jack
Power:	1x 12-19 V/DC, DC plug
Docking connector:	1x 19-pin Docking Connector
controls:	8 Keys: Power, Menu, Fn1, Fn2, Fn3, 2x V
operating system:	Windows 10 IoT Enterprise
operating temperatur min.:	-10°C

operating temperatur max.:	50°C
Shock:	MIL-STD-810G Method 516.6 Procedure I
Vibration:	MIL-STD-810G Method 514.6 Procedure I
Drop:	MIL-STD-810G Method 516.6, 4 ft to concr
voltage input DC:	12-19 V/DC
voltage input AC:	100 - 240 V/AC
external power supply:	19 V/DC, 100 - 240 V/AC, DC plug
battery:	7.4V, 10280 mAh (typ.) Li-Polymer Batter
battery Hot-Swap:	Optional / optional

Related links to "M133K"

- [Do you have any questions concerning this product?](#)
- [Further products by Winmate](#)

Available downloads:

- [Download CE Konformitätserklärung DoC Tablet-PC M133K_20190215](#)
- [Download CE Tablet-PC M133K Gebrauchsanleitung 20190130](#)
- [Download CE Tablet-PC M133K Instruction manual \(english\) 20190130](#)
- [Download CE Tablet-PC M133K Istruzioni per l'uso italiano_20190130](#)
- [Download Drawing Tablet-PC M133K 190228](#)