


**Order number:** 23152327

**Open text field 1:** -1

**Open text field 2:** 15,0 Zoll (4:3) Edelstahl Panel-PC, Intel Celeron N2930, Windows 10 IoT Enterprise

**Manufacturer:** TL Electronic, Bergkirchen-Feldgeding

## R15IB3S-SPC3-B

### Price on request

 Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

### Product information "R15IB3S-SPC3-B"

Robust industrial Panel PC made of brushed stainless steel Protection class IP65 all around incl. interfaces Easy to clean and corrosion resistant Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Perfect for food, chemical, pharmaceutical industry, medical technology, process engineering, plant construction etc. Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	B-Serie
Manufacturer item number:	R15IB3S-SPC-B
mechanics:	Chassis Edelstahl / stainless steel (VES
dimensions width:	42,6
dimensions height:	30,1
dimensions depth:	6,9
Material housing:	Edelstahl / stainless steel
Material Front :	Edelstahl / stainless steel
protection front:	IP65
protection device:	IP65
colour:	Edelstahl gebürstet / brushed stainless
controls:	5 Keys: -, +, Power, Esc, Enter
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3
resolution:	1024 x 768

<b>brightness:</b>	250 cd/m²
<b>contrast:</b>	2000:1
<b>Display-Technology:</b>	LCD, LED Backlight
<b>Touch-Screen or glass:</b>	Projected Capacitive / Multi-Touch
<b>Touch Interface:</b>	USB
<b>Manufacturer controller:</b>	P-CAP Touchcontroller
<b>voltage input DC:</b>	9-36 V/DC
<b>external power supply:</b>	12 V/DC, 100 - 240 V/AC, IP65
<b>USB:</b>	2 x USB 2.0 (M12 type)
<b>serial:</b>	1 x RS-232 (M12 type)
<b>LAN:</b>	1x RJ45 - 10/100/1000 Mbps (IP65)
<b>chipset:</b>	Intel System on chip
<b>CPU Typ:</b>	Celeron
<b>CPU Model:</b>	N2930
<b>CPU 64bit:</b>	Ja
<b>CPU speed:</b>	1,83 GHz
<b>CPU cores:</b>	4
<b>CPU socket:</b>	FCBGA1170
<b>RAM size (MB):</b>	4096
<b>RAM max. size (MB):</b>	8192
<b>RAM Number of benches:</b>	1
<b>RAM Typ:</b>	DDR3
<b>RAM speed:</b>	1600
<b>Grafik Controller:</b>	Graphics in CPU
<b>Audio Controller:</b>	Realtek ALC886 HD Codec
<b>safety:</b>	TPM 2.0
<b>SSD design:</b>	mSATA
<b>SSD max. number:</b>	1
<b>SSD capacity (GB):</b>	128
<b>Ethernet connections:</b>	1 x RJ-45
<b>Ethernet data transfer:</b>	1 x Gigabit-LAN
<b>Ethernet Controller :</b>	Intel I210-AT
<b>MiniPCIe Slot WLAN/WWAN :</b>	1
<b>WLAN :</b>	Optional / optional
<b>Betriebssystem:</b>	Windows 10 IoT Enterprise
<b>operating-system language version:</b>	deutsch / english / italian
<b>operating temperatur min.:</b>	0°C
<b>operating temperatur max.:</b>	45°C
<b>warranty:</b>	24 Monate / 24 months

## Related links to "R15IB3S-SPC3-B"

[- Do you have any questions concerning this product?](#)

[- Further products by TL Electronic, Bergkirchen-Feldgeding](#)

**Available downloads:**

[Download Drawing Panel-PC R15IB3S-SPC3-B 221215](#)