



Order number: 23152187

Open text field 2: 15,0 Zoll (4:3) Panel-PC der SlimLine-Serie

Manufacturer: Winmate

Weight: 3.9 kg

R15IB3S-POC3

Price on request

Prices plus VAT [plus shipping costs](#)

Ready to ship today,
Delivery time appr. 1-3 workdays

Product information "R15IB3S-POC3"

Built-in Panel PC for professional use Industrial Panel PC in sturdy open-frame steel sheet design Rear cover protected against contact (cage chassis) Designed for industrial applications in continuous operation

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winnate
series name:	SlimLine-Serie
Manufacturer item number:	R15IB3S-POC3
mechanics:	Open Frame
dimensions width:	35,0
dimensions height:	27,3
dimensions depth:	4,8
weight:	3,9
Material housing:	Aluminium / aluminium
protection device:	IP22
colour:	RAL 7035 / light grey
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm
mounting:	Einbau von hinten / back installation
cooling:	l�fterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3
resolution:	1024 x 768
brightness:	300 cd/m ²

contrast:	2000:1
Display-Technology:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 110 - 240 V/AC, DC plug
input:	30 Watt
HDMI:	1 x HDMI (optional)
USB:	1 x USB 3.0, 1 x USB 2.0
serial:	1 x RS-232/422/485
LAN:	2x RJ45 - 10/100/1000 Mbps
Mainboard form factor:	Mini-ATX
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83
CPU cores:	4
CPU socket:	FCBGA1170
RAM size (MB):	4096
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
safety:	TPM 2.0
connections SATA:	1
CPU class:	Atom / Celeron
SSD design:	2.5"
SSD max. number:	1
SSD capacity (GB):	64
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Related links to "R15IB3S-POC3"

- [- Do you have any questions concerning this product?](#)
- [- Further products by Winmate](#)

Available downloads:

[Download CE_Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)

[Download CE Konformitätserklärung DoC Panel-PC WM 15-IB32-x-y-z](#)