



Order number: 23152400

Open text field 2: 15,0 Zoll (4:3) Panel-PC, Intel Pentium N4200

Manufacturer: TL Electronic, Bergkirchen-Feldgeding

R15IP7T-OFC3_PMA

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "R15IP7T-OFC3_PMA"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust aluminium front panel (IP65 protected) Designed for industrial applications in continuous operation Panelmount installation with rear screwed bolts Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	SlimLine-Serie
Manufacturer item number:	R15IP7T-OFC3
mechanics:	Panel Mount
dimensions width:	41
dimensions height:	34
dimensions depth:	7,3
Material housing:	Stahlblech / steel sheet
Material Front :	Aluminium / aluminum
protection front:	IP65
protection device:	IP20
colour:	RAL 7035 / light grey
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Einbau von vorne / front installation
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3
resolution:	1024 x 768

brightness:	250 cd/m²
contrast:	500:1
Display-Technology:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
VGA:	1 x 15-pin D-sub (optional)
HDMI:	1 x HDMI 1.4 (optional)
DisplayPort:	1 x DisplayPort
USB:	4 x USB 3.0
serial:	1 x RS-232/422/485
Audio:	Mic-In, Line-Out
LAN:	2x RJ45 - 10/100/1000 Mbps
Mainboard form factor:	Mini-ITX
chipset:	Intel System on chip
CPU Typ:	Pentium
CPU Model:	N4200
CPU 64bit:	Ja
CPU speed:	1,1 GHz
CPU cores:	4
CPU socket:	FCBGA1296
RAM size (MB):	8192
RAM Number of benches:	2
RAM Typ:	SO-DDR3L
RAM speed:	1866
Grafik Controller:	Intel HD Graphics 505
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 2.0
CPU class:	Pentium
HDD max. number:	1
HDD connection:	SATA
HDD capacity (GB):	500
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	2x Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating-system support:	Windows 10 IoT
operating temperatur min.:	0°C

operating temperatur max.:

50°C

warranty:

24 Monate / 24 months

Related links to "R15IP7T-OFC3_PMA"

- [- Do you have any questions concerning this product?](#)
- [- Further products by TL Electronic, Bergkirchen-Feldgeding](#)

Available downloads:

- [Download Drawing Panel-PC WM 15-...-PMA+PME \(Panelmount\) 190228](#)
- [Download CE Konformitätserklärung DoC Panel-PC WM 15-IP70-x-y-z](#)