



Order number: 23152452
Open text field 2: 15,0 Zoll (4:3) Edelstahl-Panel-PC der R-Serie (R15IW3S-SPC3-R)
Manufacturer: TL Electronic
Weight: 6 kg

R15IW3S-SPC3-R

Price on request

Prices plus VAT [plus shipping costs](#)

Delivery time: upon request

Product information "R15IW3S-SPC3-R"

Robust industrial Panel PC made of brushed stainless steel Protection class IP65 all around incl. interfaces Easy to clean and corrosion resistant Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Perfect for food, chemical, pharmaceutical industry, medical technology, process engineering, plant construction etc. Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	R-Serie
Manufacturer item number:	R15IW3S-SPC3-R
mechanics:	Chassis Edelstahl / stainless steel (VES
dimensions width:	37,8
dimensions height:	30,1
dimensions depth:	5,64
Material housing:	Edelstahl / stainless steel
Material Front :	Edelstahl / stainless steel
protection front:	IP65
protection device:	IP65
colour:	Edelstahl gebürstet / brushed stainless
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3
resolution:	1024 x 768

brightness:	300 cd/m ²
contrast:	2000:1
Display-Technology:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	Premier
voltage input DC:	12 V/DC (M12 type)
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
USB:	2 x USB 2.0 (M12 type)
serial:	1 x RS-232 (M12 type)
LAN:	1x RJ45 - 10/100/1000 Mbps (M12 type)
chipset:	Intel System on chip
CPU Typ:	Core i5
CPU Model:	8265U
CPU 64bit:	Ja
CPU speed:	1,60 GHz
CPU cores:	4
CPU socket:	FCBGA1528
RAM size (MB):	4096
RAM max. size (MB):	32768
RAM Number of benches:	1
RAM Typ:	SO-DDR4
RAM speed:	2400
Grafik Controller:	Intel UHD Graphics for 8th Generation
safety:	TPM 2.0
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT + I219-LM
WLAN :	Optional / optional
Bluetooth :	optional / optional
operating system:	Optional
operating-system language version:	deutsch / english / italian
operating temperatur min.:	0°C
operating temperatur max.:	45°C
warranty:	24 Monate / 24 months

Related links to "R15IW3S-SPC3-R"

- [Do you have any questions concerning this product?](#)
- [Further products by TL Electronic](#)

Available downloads:

[Download CE Konformitätserklärung DoC Panel-PC R15IW3S-SPC3-R_100422](#)

[Download 915211101090_IP65_Stainless_R_Series_Panel_PC_IW32_User_Manual_V100](#)

[Download Drawing Panel-PC R15IW3S-SPC3-R 220517](#)